INDEX

del Álamo, J. C. *See* Jiménez, del Álamo & Flores

Al-Banaa, K. *See* Liu & Al-Banaa

Antonia, R. A. & Orlandi, P. Similarity of decaying isotropic turbulence with a passive scalar, 123–151

Blyth, M. G. & Pozrikidis, C. Effect of surfactants on the stability of two-layer channel flow, 59–86

Borth, H. *See* Gryanik, Borth & Olbers

Bridges, T. J. Superharmonic instability, homoclinic torus bifurcation and water-wave breaking, 153–162

Dritschel, D. G., Reinaud, J. N. & McKiver, W. J. The quasi-geostrophic ellipsoidal vortex model, 201–223

Duck, P. W. *See* Theofilis, Duck & Owen

Eames, I. & Hunt, J. C. R. Forces on bodies moving unsteadily in rapidly compressed flows, 349–364

Eggers, J. & Stone, H. A. Characteristic lengths at moving contact lines for a perfectly wetting fluid: the influence of speed on the dynamic contact angle, 309–321

Flores, O. *See* Jiménez, del Álamo & Flores

Fructus, D. & Grue, J. Fully nonlinear solitary waves in a layered stratified fluid, 323–347

Grue, J. *See* Fructus & Grue

Gryanik, V. M., Borth, H. & Olbers, D. The theory of quasi-geostrophic von Kármán vortex streets in two-layer fluids on a beta-plane, 23–57

Hunt, J. C. R. *See* Eames & Hunt

Jiménez, J., del Álamo, J. C. & Flores, O. The large-scale dynamics of near-wall turbulence, 179–199

Joseph, D. D. & Wang, J. The dissipation approximation and viscous potential flow, 365–377

Lacaze, L., Le Gal, P. & Le Dizès, S. Elliptical instability in a rotating spheroid, 1–22

Lavrenteva, O. M. *See* Leshansky, Lavrentev &, Nir

Le Dizès, S. *See* Lacaze, Le Gal & Le Dizès

Le Gal, P. *See* Lacaze, Le Gal & Le Dizès

Leshansky, A. M., Lavrenteva, O. M. & Nir, A. The leading effect of fluid inertia on the motion of rigid bodies at low Reynolds number, 235–248

Lister, J. R. Thermal winds forced by inhomogeneous boundary conditions in rotating, stratified, hydromagnetic fluid, 163–178

Liu, P. L.-F. & Al-Banaa, K. Solitary wave runup and force on a vertical barrier, 225–233

McKiver, W. J. *See* Dritschel, Reinaud & McKiver

Nir, A. *See* Leshansky, Lavrenteva & Nir

Olbers, D. *See* Gryanik, Borth & Olbers

Orlandi, P. *See* Antonia & Orlandi

Owen, J. *See* Theofilis, Duck & Owen

Pozrikidis, C. *See* Blyth & Pozrikidis

Reinaud, J. N. *See* Dritschel, Reinaud & McKiver

Righetti, M. & Romano, G. P. Particle–fluid interactions in a plane near-wall turbulent flow, 93–121

INDEX

del Álamo, J. C. *See* Jiménez, del Álamo & Flores

Al-Banaa, K. *See* Liu & Al-Banaa

Antonia, R. A. & Orlandi, P. Similarity of decaying isotropic turbulence with a passive scalar, 123–151

Blyth, M. G. & Pozrikidis, C. Effect of surfactants on the stability of two-layer channel flow, 59–86

Borth, H. *See* Gryanik, Borth & Olbers

Bridges, T. J. Superharmonic instability, homoclinic torus bifurcation and water-wave breaking, 153–162

Dritschel, D. G., Reinaud, J. N. & McKiver, W. J. The quasi-geostrophic ellipsoidal vortex model, 201–223

Duck, P. W. *See* Theofilis, Duck & Owen

Eames, I. & Hunt, J. C. R. Forces on bodies moving unsteadily in rapidly compressed flows, 349–364

Eggers, J. & Stone, H. A. Characteristic lengths at moving contact lines for a perfectly wetting fluid: the influence of speed on the dynamic contact angle, 309–321

Flores, O. *See* Jiménez, del Álamo & Flores

Fructus, D. & Grue, J. Fully nonlinear solitary waves in a layered stratified fluid, 323–347

Grue, J. *See* Fructus & Grue

Gryanik, V. M., Borth, H. & Olbers, D. The theory of quasi-geostrophic von Kármán vortex streets in two-layer fluids on a beta-plane, 23–57

Hunt, J. C. R. *See* Eames & Hunt

Jiménez, J., del Álamo, J. C. & Flores, O. The large-scale dynamics of near-wall turbulence, 179–199

Joseph, D. D. & Wang, J. The dissipation approximation and viscous potential flow, 365–377

Lacaze, L., Le Gal, P. & Le Dizès, S. Elliptical instability in a rotating spheroid, 1–22

Lavrenteva, O. M. *See* Leshansky, Lavrentev &, Nir

Le Dizès, S. *See* Lacaze, Le Gal & Le Dizès

Le Gal, P. *See* Lacaze, Le Gal & Le Dizès

Leshansky, A. M., Lavrenteva, O. M. & Nir, A. The leading effect of fluid inertia on the motion of rigid bodies at low Reynolds number, 235–248

Lister, J. R. Thermal winds forced by inhomogeneous boundary conditions in rotating, stratified, hydromagnetic fluid, 163–178

Liu, P. L.-F. & Al-Banaa, K. Solitary wave runup and force on a vertical barrier, 225–233

McKiver, W. J. *See* Dritschel, Reinaud & McKiver

Nir, A. *See* Leshansky, Lavrenteva & Nir

Olbers, D. *See* Gryanik, Borth & Olbers

Orlandi, P. *See* Antonia & Orlandi

Owen, J. *See* Theofilis, Duck & Owen

Pozrikidis, C. *See* Blyth & Pozrikidis

Reinaud, J. N. *See* Dritschel, Reinaud & McKiver

Righetti, M. & Romano, G. P. Particle–fluid interactions in a plane near-wall turbulent flow, 93–121

Romano, G. P. *See* Righetti & Romano

Stone, H. A. *See* Eggers & Stone

Theofilis, V., Duck, P. W. & Owen, J. Viscous linear stability analysis of rectangular duct and cavity flows, 249–286

Wang, J. *See* Joseph & Wang

Worster, M. G. Time-dependent fluxes across double-diffusive interfaces, 287–307

Yakhot, V. Decay of three-dimensional turbulence at high Reynolds numbers, 87–91